

Calculus Fact Sheet
Essential Derivative Rules

$\frac{d}{dx}(x^n) = nx^{n-1}$	$\frac{d}{dx}(\ln(x)) = \frac{1}{x}$	
$\frac{d}{dx}(e^x) = e^x$	$\frac{d}{dx}(b^x) = b^x \ln(b)$	
$\frac{d}{dx}(\sin(x)) = \cos(x)$	$\frac{d}{dx}(\tan(x)) = \sec^2(x)$	$\frac{d}{dx}(\sec(x)) = \sec(x) \tan(x)$
$\frac{d}{dx}(\cos(x)) = -\sin(x)$	$\frac{d}{dx}(\cot(x)) = -\csc^2(x)$	$\frac{d}{dx}(\csc(x)) = -\csc(x) \cot(x)$
$\frac{d}{dx}(\tan^{-1}(x)) = \frac{1}{x^2 + 1}$	$\frac{d}{dx}(\sin^{-1}(x)) = \frac{1}{\sqrt{1-x^2}}$	$\frac{d}{dx}(\sec^{-1}(x)) = \frac{1}{x\sqrt{x^2-1}}$
$(FS)' = FS' + F'S$	$\left(\frac{N}{D}\right)' = \frac{DN' - ND'}{D^2}$	$[f(g(x))]' = f'(g(x))g'(x)$

Essential Integral Rules

$\int x^n dx = \frac{1}{n+1}x^{n+1} + C$	$\int \frac{1}{ax+b} dx = \frac{1}{a} \ln ax+b + C$
$\int e^{ax} dx = \frac{1}{a}e^{ax} + C$	$\int b^x dx = \frac{1}{\ln(b)}b^x + C$
$\int \cos(ax) dx = \frac{1}{a} \sin(ax) + C$	$\int \sin(ax) dx = -\frac{1}{a} \cos(ax) + C$
$\int \sec^2(x) dx = \tan(x) + C$	$\int \csc^2(x) dx = -\cot(x) + C$
$\int \sec(x) \tan(x) dx = \sec(x) + C$	$\int \csc(x) \cot(x) dx = -\csc(x) + C$
$\int \frac{1}{x^2 + a^2} dx = \frac{1}{a} \tan^{-1}\left(\frac{x}{a}\right) + C$	$\int \frac{1}{\sqrt{a^2 - x^2}} dx = \sin^{-1}\left(\frac{x}{a}\right) + C$
$\int \tan(x) dx = \ln \sec(x) + C$	$\int \cot(x) dx = \ln \sin(x) + C$
$\int \sec(x) dx = \ln \sec(x) + \tan(x) + C$	$\int \csc(x) dx = \ln \csc(x) - \cot(x) + C$
$\int \sec^3(x) dx = \frac{1}{2} \sec(x) \tan(x) + \frac{1}{2} \ln \sec(x) + \tan(x) + C$	

Precalculus Facts

x	0	$\pi/6$	$\pi/4$	$\pi/3$	$\pi/2$
$\sin(x)$	0	$1/2$	$\sqrt{2}/2$	$\sqrt{3}/2$	1
$\cos(x)$	1	$\sqrt{3}/2$	$\sqrt{2}/2$	$1/2$	0

$$\begin{array}{c|c|c} \sin^2(x) + \cos^2(x) = 1 & \tan^2(x) + 1 = \sec^2(x) & 1 + \cot^2(x) = \csc^2(x) \\ \hline \sin^2(x) = \frac{1}{2}(1 - \cos(2x)) & \cos^2(x) = \frac{1}{2}(1 + \cos(2x)) & \sin(x) \cos(x) = \frac{1}{2} \sin(2x) \end{array}$$

$$\begin{array}{c|c|c|c} \ln(1) = 0 & \ln(e) = 1 & \ln(a^b) = b \ln(a) & \ln(ab) = \ln(a) + \ln(b) \\ \hline x^a x^b = x^{a+b} & (x^a)^b = x^{ab} & \sqrt[n]{x} = x^{1/n} & \frac{1}{x^a} = x^{-a} \end{array}$$